

	Type	Hits	Search Text	DBs
1	BRS	0	"374419"	EPO
2	BRS	0	"374419".pn.	EPO
3	BRS	0	"0374419".pn.	EPO
4	BRS	2	"705070".ap.	USPAT
5	BRS	2080	loop with hardware	USPAT
6	BRS	480	atkins.in.	USPAT
7	BRS	1	atkins.in. and (loop with hardware)	USPAT
8	BRS	106	(loop with hardware) and (address with relative)	USPAT
9	BRS	128	(loop with hardware) and (address with relative)	USPAT
10	BRS	22	loop with setup with instruction	USPAT
11	BRS	6	speculati\$6 with loop with register	USPAT
12	BRS	16	speculati\$6 with loop with register	USPAT
13	BRS	33	speculati\$6 with loop with instruction	USPAT
14	BRS	307	712/218.ccls.	USPAT
15	BRS	220	712/233.ccls.	USPAT
16	BRS	101	712/235.ccls.	USPAT
17	BRS	61	loop with hardware with pipeline	USPAT
18	BRS	0	loop with setup with instrucion	USPAT
19	BRS	5260	loop with instruction	USPAT
20	BRS	190	712/241.ccls.	USPAT
21	BRS	67	loop with hardware with pipeline	USPAT; EPO; JPO
22	BRS	24	loop with instruction with speculative	USPAT; EPO; JPO
23	BRS	6525	loop with instruction	USPAT; EPO; JPO
24	BRS	35	loop with setup with instruction	USPAT; EPO; JPO
25	BRS	136	(loop with hardware) and (address with relative)	USPAT; EPO; JPO
26	BRS	1648	loop with value with register	USPAT

	Type	Hits	Search Text	DBs
27	BRS	1776	loop with count\$4 with register	USPAT
28	BRS	23	loop with instruction with speculative	USPAT
29	BRS	34	loop with setup with instruction	USPAT
30	BRS	1	US20020078333A1	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
31	BRS	269	hardware adj loop	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
32	BRS	105	(hardware adj loop) and pipeline	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
33	BRS	0	(parallel adj hardware adj loop) and pipeline	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
34	BRS	0	(parallel adj hardware adj loop)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
35	BRS	6608	(parallel near2 loop)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
36	BRS	165	(parallel near2 loop) and pipeline	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
37	BRS	228	(parallel near2 loop) and pipelin\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
38	BRS	62	(parallel adj loop) and pipelin\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
39	BRS	546	loop and parallel adj pipelin\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
40	BRS	248	712/241.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
41	BRS	149	712/241.ccls. and pipelin\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
42	BRS	0	loop adj set-up adj instruction\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
43	BRS	33	loop adj set-up	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
44	BRS	8	setloop	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB